



Heat-resistant castors and wheels

- bakery carts
- painting carts
- other devices requiring heat

The LMK - castors and wheels are heat-resistant up to +250 °C. The centre is manufactured from heat-resistant polyamide and the tread is a black solid-rubber tyre. The advantage of using a rubber tyre is that it does not retain heat in the same way as aluminium does. Suitable i.e. for bakeries and paintshops.

Heat-resistant castors and wheels

EQUIPMENT CASTORS

ESI WHEEL

LMK heat resistant polyamide centre + solid-rubber tyre, plain bearing.

Code							Sh A	
ESI-80 LMK	80	30	37	12,5	•	60	80	0,22



143

ESL SWIVEL CASTOR, RECTANGULAR TOP PLATE

LMK heat-resistant polyamide centre + solid-rubber tyre.

Code										Sh A	
ESL-75/80 LMK	80	30	117	80	95x70	75x45	8,5	•	60		0,68



144

INDUSTRIAL CASTORS

LI WHEEL

AL aluminium, plain bearing. LMK heat-resistant polyamide centre + solid-rubber tyre, plain bearing.

Code							Sh A	
LI-100 AL	100	36	46	10	•	140	-	0,37
LI-100 LMK	100	32	46	12,5	•	100	80	0,30
LI-125 AL	125	36	46	10	•	145	-	0,51
LI-125 LMK	125	32	46	12,5	•	120	80	0,46



145

LK SWIVEL CASTOR, BOLT HOLE

AL aluminium. LMK heat-resistant polyamide centre + solid-rubber tyre.

Code										Sh A	
LK-100 AL	100	36	132	90	12,5	•	140				0,85
LK-100 LMK	100	32	132	90	12,5	•	100				0,78
LK-125 AL	125	36	157	106	12,5	•	145				1,01
LK-125 LMK	125	32	157	106	12,5	•	120				0,97



146

