



Tango

- **shower chairs**
- **geriatric chairs**
- **patient hoists**
- **hospital equipment**
- **servicing trolleys**
- **shopping carts**
- **shop furnishings**

Tango is an easily maintained state-of-the-art furniture castor manufactured using fibreglass-strengthened polyamide. Tango rolls smoothly while pleasing the eye with its elegant design. An optional foot guard that prevents injury to the feet can also be installed. Tango is particularly well suited to surroundings, such as hospitals, where quiet is essential. Read more about Tango on Page 6 and ask for a separate Tango leaflet.

Tango

MKI WHEEL

PTE SOFT polypropylene centre + soft thermoelastic rubber tyre, plain bearing. PTE 80 polypropylene centre + thermoelastic rubber tyre (hardness 80 Sh A), plain bearing. -S-PTE/K 80 polypropylene centre + thermoelastic rubber tyre (80 Sh A), threadguard, ball bearing (sealed). -S-PTE/K polypropylene centre + thermoelastic rubber tyre, threadguard, ball bearing (sealed). -S-PTE/K SOFT polypropylene centre + soft thermoelastic rubber tyre, threadguard, ball bearing (sealed). -S-NEK/K polyamide centre + elastic solid-rubber tyre, threadguard, ball bearing (unsealed).



26

Code								Sh A	
MKI-75 PTE 80	75	32	29	8		•	70	80	0,08
MKI-S-75 PTE/K 80	75	32	37	8	•		70	80	0,12
MKI-100 PTE SOFT¹⁾	100	32	29	8		•	70	55	0,13
MKI-S-100 PTE/K	100	32	37	8	•		100	90	0,18
MKI-S-100 PTE/K SOFT	100	32	37	8	•		70	55	0,18
MKI-S-100 NEK/K	100	32	37	8	•		80	60	0,23
MKI-125 PTE SOFT¹⁾	125	32	29	8		•	70	55	0,18
MKI-S-125 PTE/K	125	32	37	8	•		100	90	0,24
MKI-S-125 PTE/K SOFT	125	32	37	8	•		70	55	0,24
MKI-S-125 NEK/K	125	32	37	8	•		100	60	0,31

MK SWIVEL CASTOR, BOLT HOLE

PTE SOFT polypropylene centre + soft thermoelastic rubber tyre. PTE 80 polypropylene centre + thermoelastic rubber tyre (hardness 80 Sh A). -S-PTE/K 80 polypropylene centre + thermoelastic rubber tyre (80 Sh A), threadguard. -S-PTE/K polypropylene centre + thermoelastic rubber tyre, threadguard. -S-PTE/K SOFT polypropylene centre + soft thermoelastic rubber tyre, threadguard. -S-NEK/K polyamide centre + elastic solid-rubber tyre, threadguard.



27

Code									
MK-75 PTE 80	75	32	110	73	10/12		•	70	0,23
MK-S-75 PTE/K 80	75	32	110	73	10/12	•		70	0,27
MK-100 PTE SOFT	100	32	141	95	10/12		•	70	0,28
MK-S-100 PTE/K	100	32	141	95	10/12	•		100	0,34
MK-S-100 PTE/K SOFT	100	32	141	95	10/12	•		70	0,34
MK-S-100 NEK/K	100	32	141	95	10/12	•		80	0,46
MK-125-PTE SOFT	125	32	161	109	10/12		•	70	0,34
MK-S-125 PTE/K	125	32	161	109	10/12	•		100	0,41
MK-S-125 PTE/K SOFT	125	32	161	109	10/12	•		70	0,41
MK-S-125 NEK/K	125	32	161	109	10/12	•		100	0,50

MK-J SWIVEL CASTOR, BOLT HOLE, TOTAL-STOP BRAKE LOCKS WHEEL AND SWIVEL

PTE SOFT polypropylene centre + soft thermoelastic rubber tyre. PTE 80 polypropylene centre + thermoelastic rubber tyre (hardness 80 Sh A). -S-PTE/K 80 polypropylene centre + thermoelastic rubber tyre (80 Sh A), threadguard. -S-PTE/K polypropylene centre + thermoelastic rubber tyre, threadguard. -S-PTE/K SOFT polypropylene centre + soft thermoelastic rubber tyre, threadguard. -S-NEK/K polyamide centre + elastic solid-rubber tyre, threadguard.



28

Code									
MK-J-75 PTE 80	75	32	110	94	10/12	-	•	70	0,27
MK-J-S-75 PTE/K 80	75	32	110	94	10/12	•	-	70	0,32
MK-J-100 PTE SOFT	100	32	141	95	10/12	-	•	70	0,32
MK-J-S-100 PTE/K	100	32	141	95	10/12	•	-	100	0,39
MK-J-S-100 PTE/K SOFT	100	32	141	95	10/12	•	-	70	0,37
MK-J-S-100 NEK/K	100	32	141	95	10/12	•	-	80	0,41
MK-J-125 PTE SOFT	125	32	161	109	10/12	-	•	70	0,38
MK-J-S-125 PTE/K	125	32	161	109	10/12	•	-	100	0,46
MK-J-S-125 PTE/K SOFT	125	32	161	109	10/12	•	-	70	0,46
MK-J-S-125 NEK/K	125	32	161	109	10/12	•	-	100	0,53

Tango



29

MKR SWIVEL CASTOR, THREADED STEM

PTE SOFT polypropylene centre + soft thermoelastic rubber tyre, plain bearing. PTE 80 polypropylene centre + thermoelastic rubber tyre (hardness 80 Sh A). -S-PTE/K 80 polypropylene centre + thermoelastic rubber tyre (80 Sh A), threadguard. -S-PTE/K polypropylene centre + thermoelastic rubber tyre, threadguard. -S-PTE/K SOFT polypropylene centre + soft thermoelastic rubber tyre, threadguard. -S-NEK/K polyamide centre + elastic solid-rubber tyre, threadguard.

Code									
MKR-75 PTE 80	75	32	110	73	M 10x16	-	•	70	0,26
MKR-S-75 PTE/K 80	75	32	110	73	M12x16	•	-	70	0,30
MKR-100 PTE SOFT	100	32	141	95	M10x16	-	•	70	0,34
MKR-S-100 PTE/K	100	32	141	95	M12x16	•	-	100	0,39
MKR-S-100 PTE/K SOFT	100	32	141	95	M10x16	•	-	70	0,39
MKR-S-100 NEK/K	100	32	141	95	M12x16	•	-	80	0,50
MKR-125 PTE SOFT	125	32	161	109	M10x16	-	•	70	0,46
MKR-S-125 PTE/K	125	32	161	109	M12x16	•	-	100	0,46
MKR-S-125 PTE/K SOFT	125	32	161	109	M10x16	•	-	70	0,46
MKR-S-125 NEK/K	125	32	161	109	M12x16	•	-	100	0,53



30

MKR-J SWIVEL CASTOR, THREADED STEM TOTAL-STOP BRAKE LOCKS WHEEL AND SWIVEL

PTE SOFT polypropylene centre + soft thermoelastic rubber tyre. PTE 80 polypropylene centre + thermoelastic rubber tyre (hardness 80 Sh A). -S-PTE/K 80 polypropylene centre + thermoelastic rubber tyre (80 Sh A), threadguard. -S-PTE/K polypropylene centre + thermoelastic rubber tyre, threadguard. -S-PTE/K SOFT polypropylene centre + soft thermoelastic rubber tyre, threadguard. -S-NEK/K polyamide centre + elastic solid-rubber tyre, threadguard.

Code									
MKR-J-75 PTE 80	75	32	110	94	M 10x16	-	•	70	0,29
MKR-J-S-75 PTE/K 80	75	32	110	94	M12x16	•	-	70	0,33
MKR-J-100 PTE SOFT	100	32	141	95	M10x16	-	•	70	0,36
MKR-J-S-100 PTE/K	100	32	141	95	M12x16	•	-	100	0,42
MKR-J-S-100 PTE/K SOFT	100	32	141	95	M10x16	•	-	70	0,42
MKR-J-S-100 NEK/K	100	32	141	95	M12x16	•	-	80	0,47
MKR-J-125 PTE SOFT	125	32	161	109	M10x16	-	•	70	0,43
MKR-J-S-125 PTE/K	125	32	161	109	M12x16	•	-	100	0,49
MKR-J-S-125 PTE/K SOFT	125	32	161	109	M10x16	•	-	70	0,49
MKR-J-S-125 NEK/K	125	32	161	109	M12x16	•	-	100	0,56



31

MKR-R SWIVEL CASTOR, THREADED STEM DIRECTIONAL LOCK LOCKS SWIVEL IN RUNNING OR OPPOSITE DIRECTION

PTE SOFT polypropylene centre + soft thermoelastic rubber tyre. PTE 80 polypropylene centre + thermoelastic rubber tyre (hardness 80 Sh A). -S-PTE/K 80 polypropylene centre + thermoelastic rubber tyre (80 Sh A), threadguard. -S-PTE/K polypropylene centre + thermoelastic rubber tyre, threadguard. -S-PTE/K SOFT polypropylene centre + soft thermoelastic rubber tyre, threadguard. -S-NEK/K polyamide centre + elastic solid-rubber tyre, threadguard.

Code									
MKR-R-75 PTE 80	75	32	110	94	M 10x16	-	•	70	0,29
MKR-R-S-75 PTE/K 80	75	32	110	94	M12x16	•	-	70	0,33
MKR-R-100 PTE SOFT	100	32	141	95	M10x16	-	•	70	0,36
MKR-R-S-100 PTE/K	100	32	141	95	M12x16	•	-	100	0,42
MKR-R-S-100 PTE/K SOFT	100	32	141	95	M10x16	•	-	70	0,42
MKR-R-S-100 NEK/K	100	32	141	95	M12x16	•	-	80	0,47
MKR-R-125 PTE SOFT	125	32	161	109	M10x16	-	•	70	0,43
MKR-R-S-125 PTE/K	125	32	161	109	M12x16	•	-	100	0,49
MKR-R-S-125 PTE/K SOFT	125	32	161	109	M10x16	•	-	70	0,49
MKR-R-S-125 NEK/K	125	32	161	109	M12x16	•	-	100	0,56

Tango

MKT TUBE EXPANDER SETS

Code	Tubular		Square		⊗
	core ø		core	□	
MKT-18, 19	18-19				0,09
MKT-22	22				0,09
MKT-25	25				0,11
MKT-28	28				0,11
MKT-37	37				0,14
MKT 17X17			17		0,09
MKT 22X22			22		0,10
MKT 27X27			27		0,11
MKT-37X37			37		0,17



32

MKL SWIVEL CASTOR, RECTANGULAR TOP PLATE

PTE SOFT polypropylene centre + soft thermoelastic rubber tyre. PTE 80 polypropylene centre + thermoelastic rubber tyre (hardness 80 Sh A). -S-PTE/K 80 polypropylene centre + thermoelastic rubber tyre (80 Sh A), threadguard. -S-PTE/K polypropylene centre + thermoelastic rubber tyre, threadguard. -S-PTE/K SOFT polypropylene centre + soft thermoelastic rubber tyre, threadguard. -S-NEK/K polyamide centre + elastic solid-rubber tyre, threadguard.

Code	⊗	↔	↻	↻	□	⊗	⊗	⊗	⊗	⊗	⊗	⊗
MKL-75 PTE 80	75	32	117	73	77x67 95X70	61/51x50/42 75X50	8 11	-	•	70	0,31	
MKL-S-75 PTE/K 80	75	32	117	73	77x67 95X70	61/51x50/42 75X50	8 11	•	-	70	0,35	
MKL-100 PTE SOFT	100	32	148	95	77x67 95X70	61/51x50/42 75X50	8 11	-	•	70	0,37	
MKL-S-100 PTE/K	100	32	148	95	77x67 95X70	61/51x50/42 75X50	8 11	•	-	100	0,42	
MKL-S-100 PTE/K SOFT	100	32	148	95	77x67 95X70	61/51x50/42 75X50	8 11	•	-	70	0,42	
MKL-S-100 NEK/K	100	32	148	95	77x67 95X70	61/51x50/42 75X50	8 11	•	-	80	0,47	
MKL-125 PTE SOFT	125	32	168	109	77x67 95X70	61/51x50/42 75X50	8 11	-	•	70	0,42	
MKL-S-125 PTE/K	125	32	168	109	77x67 95X70	61/51x50/42 75X50	8 11	•	-	100	0,49	
MKL-S-125 PTE/K SOFT	125	32	168	109	77x67 95X70	61/51x50/42 75X50	8 11	•	-	70	0,49	
MKL-S-125 NEK/K	125	32	168	109	77x67 95X70	61/51x50/42 75X50	8 11	•	-	100	0,56	



33

MKL-J SWIVEL CASTOR, RECTANGULAR TOP PLATE

TOTAL-STOP BRAKE LOCKS WHEEL AND SWIVEL

PTE SOFT polypropylene centre + soft thermoelastic rubber tyre. PTE 80 polypropylene centre + thermoelastic rubber tyre (80 Sh A). -S-PTE/K 80 polypropylene centre + thermoelastic rubber tyre (80 Sh A), threadguard. -S-PTE/K polypropylene centre + thermoelastic rubber tyre, threadguard. -S-PTE/K SOFT polypropylene centre + soft thermoelastic rubber tyre, threadguard. -S-NEK/K polyamide centre + elastic solid-rubber tyre, threadguard.

Code	⊗	↔	↻	↻	□	⊗	⊗	⊗	⊗	⊗	⊗	⊗
MKL-J-75 PTE 80	75	32	117	94	77x67 95X70	61/51x50/42 75X50	8 11	-	•	70	0,34	
MKL-J-S-75 PTE/K 80	75	32	117	94	77x67 95X70	61/51x50/42 75X50	8 11	•	-	70	0,38	
MKL-J-100 PTE SOFT	100	32	148	95	77x67 95X70	61/51x50/42 75X50	8 11	-	•	70	0,42	
MKL-J-S-100 PTE/K	100	32	148	95	77x67 95X70	61/51x50/42 75X50	8 11	•	-	100	0,45	
MKL-J-S-100 PTE/K SOFT	100	32	148	95	77x67 95X70	61/51x50/42 75X50	8 11	•	-	70	0,45	
MKL-J-S-100 NEK/K	100	32	148	95	77x67 95X70	61/51x50/42 75X50	8 11	•	-	80	0,50	
MKL-J-125 PTE SOFT	125	32	168	109	77x67 95X70	61/51x50/42 75X50	8 11	-	•	70	0,51	
MKL-J-S-125 PTE/K	125	32	168	109	77x67 95X70	61/51x50/42 75X50	8 11	•	-	100	0,54	
MKL-J-S-125 PTE/K SOFT	125	32	168	109	77x67 95X70	61/51x50/42 75X50	8 11	•	-	70	0,54	
MKL-J-S-125 NEK/K	125	32	168	109	77x67 95X70	61/51x50/42 75X50	8 11	•	-	100	0,61	



34

Tango



35

MKL-R SWIVEL CASTOR, RECTANGULAR TOP PLATE DIRECTIONAL LOCK LOCKS SWIVEL IN RUNNING OR OPPOSITE DIRECTION

PTE SOFT polypropylene centre + soft thermoelastic rubber tyre. PTE 80 polypropylene centre + thermoelastic rubber tyre (hardness 80 Sh A). -S-PTE/K 80 polypropylene centre + thermoelastic rubber tyre (80 Sh A), threadguard. -S-PTE/K polypropylene centre + thermoelastic rubber tyre, threadguard. -S-PTE/K SOFT polypropylene centre + soft thermoelastic rubber tyre, threadguard. -S-NEK/K polyamide centre + elastic solid-rubber tyre, threadguard.

Code											
MKL-R-75 PTE 80	75	32	117	94	77x67 95X70	61/51x50/42 75X50	8 11	-	•	70	0,34
MKL-R-S-75 PTE/K 80	75	32	117	94	77x67 95X70	61/51x50/42 75X50	8 11	•	-	70	0,38
MKL-R-100 PTE SOFT	100	32	148	95	77x67 95X70	61/51x50/42 75X50	8 11	-	•	70	0,42
MKL-R-S-100 PTE/K	100	32	148	95	77x67 95X70	61/51x50/42 75X50	8 11	•	-	100	0,45
MKL-R-S-100 PTE/K SOFT	100	32	148	95	77x67 95X70	61/51x50/42 75X50	8 11	•	-	70	0,45
MKL-R-S-100 NEK/K	100	32	148	95	77x67 95X70	61/51x50/42 75X50	8 11	•	-	80	0,50
MKL-R-125 PTE SOFT	125	32	168	109	77x67 95X70	61/51x50/42 75X50	8 11	-	•	70	0,51
MKL-R-S-125 PTE/K	125	32	168	109	77x67 95X70	61/51x50/42 75X50	8 11	•	-	100	0,54
MKL-R-S-125 PTE/K SOFT	125	32	168	109	77x67 95X70	61/51x50/42 75X50	8 11	•	-	70	0,54
MKL-R-S-125 NEK/K	125	32	168	109	77x67 95X70	61/51x50/42 75X50	8 11	•	-	100	0,61



36

MPR FIXED CASTOR, THREADED STEM

PTE SOFT polypropylene centre + soft thermoelastic rubber tyre. -S-PTE/K polypropylene centre + thermoelastic rubber tyre, threadguard. -S-PTE/K SOFT polypropylene centre + soft thermoelastic rubber tyre, threadguard. -S-NEK/K polyamide centre + elastic solid-rubber tyre, threadguard.

Code								
MPR-100 PTE SOFT	100	32	141	M10x16	-	•	70	0,21
MPR-S-100 PTE/K	100	32	141	M10x16	-	-	100	0,26
MPR-S-100 PTE/K SOFT	100	32	141	M10x16	•	-	70	0,26
MPR-S-100 NEK/K	100	32	141	M10x16	•	-	80	0,31
MPR-125 PTE SOFT	125	32	161	M10x16	-	•	70	0,27
MPR-S-125 PTE/K	125	32	161	M10x16	•	-	100	0,33
MPR-S-125 PTE/K SOFT	125	32	161	M10x16	•	-	70	0,33
MPR-S-125 NEK/K	125	32	161	M10x16	•	-	100	0,40



37

MPL FIXED CASTOR, RECTANGULAR TOP PLATE

PTE SOFT polypropylene centre + soft thermoelastic rubber tyre. -S-PTE/K polypropylene centre + thermoelastic rubber tyre, threadguard. -S-PTE/K SOFT polypropylene centre + soft thermoelastic rubber tyre, threadguard. -S-NEK/K polyamide centre + elastic solid-rubber tyre, threadguard.

Code										
MPL-100 PTE SOFT	100	32	148	77x67 95X70	61/51x50/42 75X50	8 11	-	•	70	0,24
MPL-S-100 PTE/K	100	32	148	77x67 95X70	61/51x50/42 75X50	8 11	•	-	100	0,29
MPL-S-100 PTE/K SOFT	100	32	148	77x67 95X70	61/51x50/42 75X50	8 11	•	-	70	0,29
MPL-S-100 NEK/K	100	32	148	77x67 95X70	61/51x50/42 75X50	8 11	•	-	80	0,34
MPL-125 PTE SOFT	125	32	168	77x67 95X70	61/51x50/42 75X50	8 11	-	•	70	0,29
MPL-S-125 PTE/K	125	32	168	77x67 95X70	61/51x50/42 75X50	8 11	•	-	100	0,35
MPL-S-125 PTE/K SOFT	125	32	168	77x67 95X70	61/51x50/42 75X50	8 11	•	-	70	0,35
MPL-S-125 NEK/K	125	32	168	77x67 95X70	61/51x50/42 75X50	8 11	•	-	100	0,42



- standard colours for the housing; black and grey
- standard colours for the brake pedal; red, black, grey and yellow
- in economical quantities it can be supplied in selected colours

In the picture standard colours of Tango