



SWIVEL CASTOR SERIES 305

Features:

- Pressed steel casing
- Zinc plated finish
- Double ball bearing swivel
- Wheel-Ø 75 mm, 100 mm and 125 mm



SERIES 305




SERIES 305



BALL BEARING WHEEL

- Non marking grey thermoplastic rubber tyred
- Polypropylene hub
- Ball bearing
- Screwed axle
- Wheel-Ø 75 mm, 100 mm, 125 mm

FITTINGS



**SERIES
305**
SWIVEL CASTOR

BOLT HOLE



Code-no.



mm	Wheel-Ø	Tread width	Load capacity	Overall height	Offset
10,5	75	23,5	60	100	30
10,5	100	32	90	129	36
10,5	125	32	100	155	37
12,5	100	32	90	129	36
12,5	125	32	100	155	37

See page 114.


1.AAJ.E01
1.AAZ.PTB
1.ACA.PUB
1.AB7.PTB
1.ACP.PUB



PLAIN BEARING WHEEL

- Non marking grey thermoplastic rubber tyred
- Polypropylene hub
- Steel bush \varnothing 100 mm and 125 mm
- Screwed axle
- Wheel- \varnothing 75 mm, 100 mm, 125 mm

FITTINGS



**SERIES
305**
SWIVEL CASTOR

BOLT HOLE



Code-no.



mm	75	100	125	100	125	150
10,5	75	100	125	100	125	150
10,5	75	100	125	100	125	150
10,5	75	100	125	100	125	150
12,5	75	100	125	100	125	150
12,5	75	100	125	100	125	150

1.AAJ.E5A
1.AAZ.JKA
1.ACA.JLA
1.AB7.JKA
1.ACP.JLA

See page 114.